

**VENDOR APPLICATION FOR VOTING SYSTEM CERTIFICATION**

***Vendor Name:***

Hart InterCivic

***Vendor Address:***

15500 Wells Port Drive, Austin, Texas 78728

***Name and Telephone Number of Technical Support:***

Tracy Hoey (512) 252-6432

***Name of the System: (include version numbers/release numbers)*** Verity Voting 2.5, which is comprised of:

- Verity Data 2.5.0 – Election data management application
- Verity Build 2.5.0 – Election definition software application
- Verity Central 2.5.1 – Central scanning software application
- Verity Count 2.5.0 – Tabulation and reporting software application
- Verity Desktop 2.5.1 – Secure desktop management application
- Verity User Management 2.5.1 – User management software application
- Verity Election Management 2.5.1 – Election management software application
- Verity Touch Writer 2.5.1 – Ballot marking device (BMD), with audio tactile interface
- Verity Touch Writer Duo 2.5.1 – Ballot marking device with integrated COTS printer
- Verity Touch Writer Duo Standalone 2.5.1 – Standalone ballot marking device
- Verity Controller 2.5.1 – Polling place management device for use with Verity Touch Writer Duo
- Verity Scan 2.5.1 – Digital scanning voting device
- Verity Print 2.5.1 – Ballot production device, for on-demand printing

***Type of System (i.e., DRE, Optical Scan, etc.): Digital scan for paper ballots, with BMD  
(Provide a brief description of how it functions)***

**Overview of the Verity Voting System**

The Verity Voting system includes software, hardware, devices, and peripheral components that allow election professionals to accomplish the following high-level tasks:

- Election definition
- Ballot production
- Flash media production
- Voting machine configuration and use
- Central scanning and adjudication of ballots
- Counting of votes
- Consolidation and reporting of results and audit logs

## Identification of the Verity Voting System

### *Software Applications*

- **Verity Data** is a component of the Verity Voting system used by officials to enter election data for contests, candidates, proposition text, translations, and audio. Data also provides the user with controls for proofing of data, layout, and performs validation prior to locking the data to ensure its readiness for use in Verity Build.
- **Verity Build** enables election officials to define ballot styles and generate election definitions. In addition to producing paper and electronic ballot styles, Build allows users to program voting device behavior in a variety of ways. After ballot generation, Build electronically writes the election data file (including all ballot styles) to portable flash media known as vDrives, which can then be deployed for a variety of different voting types, such as central scanning with Verity Central or in-person voting with Verity Scan and Verity Touch Writer. After generating election definitions, Verity Build can also print ballots or output them electronically for third-party printers.
- **Verity Central** enables election officials to scan paper ballots at a central location using a commercial-off-the-shelf (COTS) scanner, adjudicate voter selection marks as necessary, and convert voter selection marks to electronic Cast Vote Records (CVRs). Verity Central is especially well-suited for scanning and adjudicating by-mail ballots. When all ballots have been scanned and adjudicated, Central writes Cast Vote Records to vDrive portable flash media, which can be tabulated in Verity Count tabulation software. It is important to note that Verity Central does not tabulate votes; because it simply scans and records Cast Vote Records, this allows jurisdictions to begin scanning before the close of polls, thereby greatly accelerating the scanning workflow. While Central does produce a variety of reports, because it does not tabulate, it does not produce reports containing results totals.
- **Verity Count** allows election officials to tabulate and report the results of Cast Vote Records stored on vDrives. vDrives inserted into the tabulation workstation can contain by-mail votes from Central, or in-person votes from Scan devices. Once the CVRs have been read and tabulated, Count can produce a variety of standard and customized reports. Verity Count also allows officials to adjudicate write-in votes from Verity Scan or Verity Central. Finally, Count also collects and stores audit logs from Verity voting devices, allowing for post-election audit and/or analysis.
- **Verity Desktop** allows authorized users to set the system date and time, export Verity application file hashes to removable USB media for software validation and import printer configuration files
- **Verity User Management** enables users with administrative permissions to create and manage user accounts within the Verity Voting system. Depending on the component for which the accounts are created, permissions may be managed by various roles. Depending on the role, each user has access to different features of the Verity software applications and other components.
- **Verity Election Management** enables users with administrative permissions to add, copy, delete, import, export, archive, restore, and manage elections in the Verity system.

## *Voting Devices and Peripheral Equipment*

- **Verity Scan** is a digital scanner for paper ballots. Scan is paired with a purpose-built ballot box to ensure accurate, secure, and private ballot scanning and vote casting for each voter. Poll workers perform a minimal number of steps to open the polls and activate the Verity Scan device so that it can receive paper ballots. Once the polls are open, to vote, voters insert their ballots when Scan indicates it is appropriate, and then voters wait for Scan to indicate that the ballot has been successfully cast. Scan also supports “second chance” voting for mismarked ballots. During the election definition process in Verity Build, election officials may specify the types of mismarks for which Verity Scan should reject ballots and present voter instruction messages for “second chance voting;” officials can choose to flag undervotes, overvotes, and blank ballots, and they can also specify whether voters are required to have poll worker assistance to cast a mismarked ballot. After scanning, each ballot’s Cast Vote Record is stored on vDrive portable flash media, which can be tabulated by the Verity Count software application.
- **Verity Touch Writer** is a ballot marking device that prints a ballot with voter selections to a commercial off-the-shelf printer. Voters use the electronic touch display interface to privately and independently make their selections on the ballot. Voters can also make selections with Verity Access, an Audio-Tactile interface (ATI) component with three tactile buttons, one audio port (for headphones), and one port for external two-switch devices. When voters finish making their selections, they print the marked ballot. Verity Access is permanently attached to Verity Touch Writer.
- **Verity Touch Writer Duo** is a daisy chained configuration of a Verity Controller device configured with up to twelve Verity Touch Writer Duo BMD devices, which allows voters to utilize the touchscreen or optional Audio Tactile Interface to generate a machine-readable and human readable printed vote record, based on vote selections made.
- **Verity Touch Writer Duo Standalone** is a standalone Ballot Marking Device (BMD) which allows voters to utilize the touchscreen or optional Audio Tactile Interface to generate a machine-readable and human readable printed vote record, based on vote selections made.
- **Verity Access** is an audio tactile interface (ATI) controller that is connected to Verity Touch Writer ballot marking devices as a complement to the touchscreen display, to provide additional options for accessible voting. Access has three tactile buttons, one audio port, one port for two-switch adaptive devices (such as “jelly switches” or sip-and-puff devices), and a custom USB cable. Jacks for headphones and adaptive devices are located on the top edge of the device, and the device has gripping surfaces on either side.
- **Ballot Box.** Designed to work seamlessly with the Verity Scan device, the Verity Ballot Box is designed for security and ease of deployment. Using an innovative folding design, the durable ballot box includes separate secure compartments for scanned and un-scanned ballots, and it folds to just 5” thin for easy transportation and storage.
- **Voting Booth.** The specially designed voting booth for Verity Touch Writer and Verity Touch Writer Duo includes only three parts to assemble and has durable nylon privacy screens. ADA-compliant versions of the Verity voting booth are designed to comply with VVSG requirements for accessibility.

- **Verity vDrive.** vDrives are flash memory media devices that carry the election definition from Verity Build to Verity devices, including Scan, Touch Writer and Print. vDrives also store Cast Vote Records (CVRs) and audit information. After polls are closed, vDrives can be removed from devices to transfer CVRs and/or audit logs to Verity Count. vDrives are used to store CVRs associated with scanned ballots in Verity Central. vDrives from Scan and Central are read into Count, which tabulates votes and reports results.
- **Verity Key** is a two-factor authentication device used to secure access to critical functions throughout the election. Users must have the physical device key and know the passcode associated with the physical security device. This electronic device is required for access to secure functions in the Build, Central, and Count applications.

***What functions do you want to certify in the State of Washington? (Provide electronic copies of operating and maintenance manuals, training materials, technical and operational specifications, etc.)***

We would like to certify the following functions in the State of Washington:

- Election definition
- Ballot production
- Flash media production
- Voting machine configuration and use
- Central scanning and adjudication of ballots
- Counting of votes
- Consolidation and reporting of results and audit logs

The full Technical Data Package, which includes the requested documentation, will be provided through the Hart InterCivic Transfer Server.

***Is this a modification of a system currently certified with Washington State?***

***If so, provide a brief description of the extent of the changes as well as a list that describes in complete operational and technical detail all differences between the originally certified equipment or system and the modified equipment or system.***

Verity Voting 2.5 is a modification of Verity Voting 2.3/2.4. Version 2.3 is currently certified in the state of Washington. The upgrades to 2.4 include:

- Security enhancements – Certificate Sets and Updated Whitelisting tool.
- New and Improved Verity Count Write-in Interface, for a more efficient workflow.
- High-scale configuration for Verity Central, adds support for up to 8 networked clients per server.
- Support for new hardware – OKI 844dn & OKI C931e printers as well as Canon DRG-2140 & Canon DRG-2140 scanners.

In addition to the devices and features included in Verity Voting 2.4, the following features relevant to the State of Washington are introduced in 2.5:

Verity 2.5 provides security enhancements, including:

- The Windows 7 Embedded Standard OS is replaced with Windows 10 Embedded.
- TPM 2.0 support implemented on Z240 and Z4 G4 workstations.
- SQL Server 2012 is replaced with SQL Server 2017/ SQLite 3.29.
- UEFI Secure Boot implemented on workstations.
- vDrive file and folder names and paths are added to the signed and validated content.
- New Hash algorithm.

Additionally, we are including the Verity Touch Writer Duo ballot marking device (which has been a component of Verity since version 2.3 but had not yet been submitted for Washington certification). The Verity Touch Writer Duo Standalone and Verity Duo Go are configurations for the Touch Writer Duo that were introduced in Version 2.5.

A list of release notes for Verity Voting 2.5 is also provided as an attachment to this application.

***Is the system certified or used in other states? (Which states?)***

Verity Voting 2.5 is federally certified by the Election Assistance Commission. 2.5 is in the certification process in the State of Alabama, the State of Kentucky, the State of Idaho, the State of Texas, and the State of Wisconsin.

***Does the system comply with Washington state law, including the ability to handle Washington's "split precincts"?***

Verity Voting 2.5 complies with Washington state law, including the ability to handle split precincts.